

Page 1/9

Safety data sheet according to UK REACH

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier For industrial, professional & consumer use. · Trade name: <u>Prep Clean 2802 (bare metal)</u> · UFI: X737-402K-W00X-4Y7E • 1.2 Relevant identified uses of the substance or mixture and uses advised against Surface Coating · Application of the substance / the mixture Surface Coating Degreaser/Precleaner \cdot 1.3 Details of the supplier of the safety data sheet · Supplier: PAINTMAN PAINT LTD Unit 7 Trinity Park Industrial Estate, Sloswicke Drive, Retford DN22 7WQ UNITED KINGDOM TEL: +44 (0)1777 710100

- *Further information obtainable from: www.paintman.co.uk*
- · 1.4 Emergency telephone number: +44 (0)1777 710100 (business hours)

SECTION 2: Hazards identification

EMAIL: sales@paintman.co.uk

· 2.1 Classification of the substance or mixture

· Classification acco	ording t	o Regulation (EC) No 1272/2008
Flam. Liq. 2	H225	Highly flammable liquid and vapour.
Skin Irrit. 2	H315	Causes skin irritation.
Repr. 2	H361a	l Suspected of damaging the unborn child.
STOT SE 3	H336	May cause drowsiness or dizziness.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Toluene

• Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

(Contd. on page 2)

GB

Safety data sheet

according to UK REACH Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

	(Contd. of page 1)
H361a	Suspected of damaging the unborn child.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
· Preca	tionary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
<i>P303</i> +	P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Ot	er hazards
· Result	of PBT and vPvB assessment
· PBT:	
100.0	

108-88-3 Toluene

· vPvB:

108-88-3 Toluene

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 108-88-3	Toluene	>50-≤100%
EINECS: 203-625-9 Reg.nr.: 01-2119471310-51-xxxx	 Flam. Liq. 2, H225 Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336 Aquatic Chronic 3, H412 PBT; vPvB 	
EC number: 920-750-0 Reg.nr.: 01-2119473851-33-0000	Hydrocarbons, C7-C9, isoalkanes, cyclics Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336	>2.5-≤10%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225 Eye Irrit. 2, H319	>2.5-≤10%
CAS: 67-56-1 EINECS: 200-659-6 Reg.nr.: 01-2119433307-44-xxxx	 methanol ♦ Flam. Liq. 2, H225 ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 ♦ STOT SE 1, H370 	≤1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 08.07.2025

GB

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

(Contd. of page 2)

Trade name: Prep Clean 2802 (bare metal)

• After inhalation:

- In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:
- Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/extraction at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Hygiene measures: Wash hands before breaks and at the end of workday.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 4)

GB

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and in a well-ventilated place. Keep away from heat.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

108-88-3 Toluene

- WEL Short-term value: 384 mg/m³, 100 ppm Long-term value: 191 mg/m³, 50 ppm
- Sk 64-17-5 ethanol
- WEL Long-term value: 1920 mg/m³, 1000 ppm

67-56-1 methanol


- WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- Respiratory protection: When spraying the product, use a respiratory protective device.
- · Protection of hands:

When skin exposure may occur, advice should be sought from the glove supplier on appropriate types and usage times for this product.



Protective gloves

· Eye protection:



(Contd. on page 5)

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

(Contd. of page 4)

SECTION 9: Physical and chemic	cal properties
• 9.1 Information on basic physical and ch	emical properties
· General Information	
· Appearance:	
	Liquid
Colour:	Colourless
· Odour:	Characteristic Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	-95 °C
Initial boiling point and boiling range:	100 °C
· Flash point:	-7 °C
· Flammability	Highly flammable.
• Auto-ignition temperature:	220 °C
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.1 Vol %
· Vapour pressure at 20 °C:	29 hPa
· Vapour pressure at 50 °C:	124 hPa
· Density at 20 °C:	0.852 g/cm ³
	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
2 2	0.5 g/l
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
Water:	0.0 %
Solids content:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability Stable under normal conditions

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

(Contd. of page 5)

Trade name: Prep Clean 2802 (bare metal)

· 10.6 Hazardous decomposition products:

No dangerous decomposition products when stored and handled correctly

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 71,654 mg/kg (rat)

Dermal LD50 214,961 mg/kg

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging the unborn child.

· STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:

· Remark: Harmful to fish

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

· 12.5 Results of PBT and vPvB assessment

· PBT:

108-88-3 Toluene

· vPvB:

108-88-3 Toluene

· 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR	1263 PAINT RELATED MATERIAL (vapour pressure o
IMDG, IATA	50°C not more than 110 kPa) PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	3 Flammable liquids. 3
	5
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	33 F-E,S-E
Stowage Category	B
14.7 Transport in bulk according to Annex II o	of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	51
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2
Excepted quantures (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	51
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2
Excepted quantities (EQ)	<i>Maximum net quantity per inner packaging: 30 ml</i>
	Maximum net quantity per outer packaging: 500 ml

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

(Contd. of page 7)

5

· UN "Model Regulation":

UN 1263 PAINT RELATED MATERIAL (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA), 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · MAK (German Maximum Workplace Concentration)
- 64-17-5 ethanol

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

 \cdot Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:

• Technical instructions (air):

Class	Share in %	
Ι	0.1	
NK	99.8	

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Full text of H-Statements referred to under sections 2 and 3:

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H370 Causes damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department: LABORATORY

 $(Contd. \ on \ page \ 9)$

GB

Printing date 08.07.2025

Version number: 1.03

Revision: 08.07.2025

Trade name: Prep Clean 2802 (bare metal)

	(Contd. of page
• Contact: Health & Safety Officer	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer ((Regulations Concerning th
International Transport of Dangerous Goods by Rail)	0
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European	Agreement Concerning th
International Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	